

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 1 of 18

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

ALPINE ATF 6HP

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

gear oil

###### Uses advised against

No information available.

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Mitan Mineralöl GmbH	
Street:	Industriestraße 8	
Place:	D-49577 Ankum	
Telephone:	+49 (0)5462/7470-50	Telefax: +49 (0)5462/7470-33
e-mail:	info@mitan-oil.de	
Internet:	www.mitan-oil.de	
Responsible Department:	Produktsicherheit / Product Safety sicherheitsdatenblatt@mitan-oil.de	

##### 1.4. Emergency telephone number:

Giftinformationszentrum Nord (Göttingen)  
+49 (0)551/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

###### Precautionary statements

P102 Keep out of reach of children.  
P273 Avoid release to the environment.  
P501 Dispose of contents / container in accordance with official regulations.

###### Special labelling of certain mixtures

EUH208 Contains Reaction products of amines, dicoco alkyl and glycollic acid, 3-(dicocoalkylamino)-1,2-propanediol, 1-(tert-dodecylthio)propan-2-ol, 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

##### 2.3. Other hazards

No information available.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 2 of 18

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich			1 - 1,49 %
	800-172-4		01-2119969520-35	
	Aquatic Chronic 2; H411			
36878-20-3	Blis(nonylphenyl)amine			1 - 1,49 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
	Reaction products of amines, dicoco alkyl and glycollic acid			0,1 - 0,99 %
	471-920-1		01-0000019770-68	
	Skin Sens. 1B; H317			
	3-(dicocoalkylamino)-1,2-propanediol			0,1 - 0,99 %
	482-000-4		01-0000020142-86	
	Skin Sens. 1B, Aquatic Chronic 3; H317 H412			
67124-09-8	1-(tert-dodecylthio)propan-2-ol			0,1 - 0,75 %
	266-582-5		01-2119953277-30	
	Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H317 H400 H410			
	2-tetradecyloxirane, reaction products with boric acid			0,1 - 0,24 %
	939-580-3		01-2119976364-28	
	Skin Sens. 1B; H317			
	Benzene, polypropene derivatives, sulfonated, calcium salts			0,1 - 0,24 %
			01-2120040541-70	
	Skin Sens. 1; H317			
1218787-32-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.			0,1 - 0,24 %
	620-540-6		01-2119510877-33	
	Acute Tox. 4, Skin Corr. 1C, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410			
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			0,1 - 0,24 %
	202-414-9		01-2119777867-13	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H373 H400 H410			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 3 of 18

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
398141-87-2	800-172-4	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkoxy) derivs., C10-rich	1 - 1,49 %
		dermal: LD50 = > 4000 - < 8000 mg/kg; oral: LD50 = >10000 mg/kg	
36878-20-3	253-249-4	Bis(nonylphenyl)amine	1 - 1,49 %
		oral: LD50 = > 5000 mg/kg	
	471-920-1	Reaction products of amines, dicoco alkyl and glycollic acid	0,1 - 0,99 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2500 mg/kg Skin Sens. 1B; H317: >= 9,4 - 100	
67124-09-8	266-582-5	1-(tert-dodecylthio)propan-2-ol	0,1 - 0,75 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
	939-580-3	2-tetradecyloxirane, reaction products with boric acid	0,1 - 0,24 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 16000 mg/kg	
		Benzene, polypropene derivatives, sulfonated, calcium salts	0,1 - 0,24 %
		Skin Sens. 1; H317: >= 10 - 100	
1218787-32-6	620-540-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	0,1 - 0,24 %
		oral: LD50 = 1500 mg/kg Aquatic Acute 1; H400: M=10	
95-38-5	202-414-9	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	0,1 - 0,24 %
		oral: LD50 = ca. 1000 mg/kg Aquatic Acute 1; H400: M=10	

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

Remove affected person from the danger area and lay down.  
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

###### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

###### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.  
Take off contaminated clothing and wash it before reuse.  
In case of skin irritation, consult a physician.

###### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

###### After ingestion

Rinse mouth thoroughly with water.  
Let water be drunk in little sips (dilution effect).  
Do NOT induce vomiting.  
In all cases of doubt, or when symptoms persist, seek medical advice.

##### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 4 of 18

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Use water spray jet to protect personnel and to cool endangered containers.  
Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Foam
- Carbon dioxide (CO<sub>2</sub>).
- Extinguishing powder

##### **Unsuitable extinguishing media**

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable. Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO<sub>2</sub>).
- Pyrolysis products, toxic

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing

In case of fire and/or explosion do not breathe fumes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Keep people at a distance and stay on the windward side.  
Special danger of slipping by leaking/spilling product.

##### **For non-emergency personnel**

Wear protective gloves/protective clothing and eye/face protection.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.  
Remove from the water surface (e.g. skimming, sucking).

#### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### SECTION 7: Handling and storage

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 5 of 18

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

- Avoid formation of oil dust.
- Use personal protection equipment.
- Do not put any product-impregnated cleaning rags into your trouser pockets.
- Clear spills immediately.

##### **Advice on protection against fire and explosion**

- No special fire protection measures are necessary.
- Take precautionary measures against static discharges.
- Keep away from sources of ignition - No smoking.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

- Keep only in the original container in a cool, well-ventilated place.
- Keep container tightly closed.
- Floors should be impervious, resistant to liquids and easy to clean.

##### **Hints on joint storage**

- No special measures are necessary.

##### **Further information on storage conditions**

- Note Regulation on facilities for the storage, filling and handling water-polluting substances. ...

#### **7.3. Specific end use(s)**

- gear oil

### SECTION 8: Exposure controls/personal protection

#### **8.1. Control parameters**

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 6 of 18

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkoxy) derivs., C10-rich			
Worker DNEL, long-term		inhalation	systemic	24,7 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	350 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,35 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	125 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL, long-term		dermal	systemic	5 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day
67124-09-8	1-(tert-dodecylthio)propan-2-ol			
Worker DNEL, long-term		inhalation	systemic	11,8 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	3,34 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,9 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1,67 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,84 mg/kg bw/day
1218787-32-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.			
Worker DNEL, long-term		inhalation	systemic	2,96 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,42 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,522 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	0,15 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,15 mg/kg bw/day
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			
Worker DNEL, long-term		inhalation	systemic	0,46 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	14 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,06 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	2 mg/kg bw/day

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 7 of 18

#### PNEC values

CAS No	Substance	Value
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkoxy) derivs., C10-rich	
	Freshwater	0,0024 mg/l
	Freshwater (intermittent releases)	0,024 mg/l
	Marine water	0,00033 mg/l
	Freshwater sediment	0,433 mg/kg
	Marine sediment	0,0596 mg/kg
	Secondary poisoning	111,11 mg/kg
	Micro-organisms in sewage treatment plants (STP)	100 mg/l
	Soil	0,0853 mg/kg
36878-20-3	Bis(nonylphenyl)amine	
	Freshwater	0,412 mg/l
	Freshwater (intermittent releases)	1 mg/l
	Marine water	0,041 mg/l
	Freshwater sediment	1 mg/kg
	Marine sediment	0,1 mg/kg
	Reaction products of amines, dicoco alkyl and glycollic acid	
	Freshwater	0,4 mg/l
	Freshwater (intermittent releases)	0,013 mg/l
	Marine water	0,04 mg/l
	Freshwater sediment	17100 mg/kg
	Marine sediment	1701 mg/kg
	Micro-organisms in sewage treatment plants (STP)	100 mg/l
	Soil	3416 mg/kg
67124-09-8	1-(tert-dodecylthio)propan-2-ol	
	Freshwater	0,006 mg/l
	Freshwater (intermittent releases)	0,006 mg/l
	Marine water	0,001 mg/l
	Freshwater sediment	8,28 mg/kg
	Marine sediment	0,828 mg/kg
	Secondary poisoning	33,33 mg/kg
	Micro-organisms in sewage treatment plants (STP)	100 mg/l
	Soil	0,244 mg/kg
	2-tetradecyloxirane, reaction products with boric acid	
	Freshwater	1 mg/l
	Freshwater (intermittent releases)	1 mg/l
	Marine water	0,1 mg/l
	Freshwater sediment	42700 mg/kg

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 8 of 18

Marine sediment	4270 mg/kg
Micro-organisms in sewage treatment plants (STP)	100 mg/l
Soil	8540 mg/kg
1218787-32-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.
Freshwater	0,000214 mg/l
Freshwater (intermittent releases)	0,00087 mg/l
Marine water	0,000021 mg/l
Freshwater sediment	1,692 mg/kg
Marine sediment	0,169 mg/kg
Secondary poisoning	2 mg/kg
Micro-organisms in sewage treatment plants (STP)	1,5 mg/l
Soil	5 mg/kg
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol
Freshwater	0 mg/l
Freshwater (intermittent releases)	0 mg/l
Marine water	0 mg/l
Freshwater sediment	0,376 mg/kg
Marine sediment	0,038 mg/kg
Micro-organisms in sewage treatment plants (STP)	0,26 mg/l
Soil	0,075 mg/kg

#### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls



#### Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.  
Wash hands before breaks and after work.  
When using do not eat, drink, smoke, sniff.

#### Eye/face protection

During filling, metering, mixing and sampling must be used:  
Wear eye/face protection. EN 166

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
Recommended glove articles: EN ISO 374  
Suitable material: NBR (Nitrile rubber)  
Thickness of the glove material: 0,4 mm  
Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 9 of 18

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	
Odour:	characteristic
Odour threshold:	not determined

#### Test method

pH-Value: not determined

#### Changes in the physical state

Melting point/freezing point: not determined

Boiling point or initial boiling point and boiling range: not determined

Pour point: not determined

Flash point: > 150 °C ASTM D 92

#### Flammability

Solid/liquid: not determined

#### Explosive properties

The product is not: Explosive. Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits: not determined

Upper explosion limits: not determined

Auto-ignition temperature: not determined

Decomposition temperature: not determined

#### Oxidizing properties

The product is not: oxidising.

Vapour pressure: not determined

Density (at 15 °C): 0,851 g/cm<sup>3</sup>

#### Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Viscosity / kinematic:  
(at 40 °C) 31 mm<sup>2</sup>/s

Relative vapour density: not determined

Evaporation rate: not determined

#### 9.2. Other information

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 10 of 18

Solid content:

not determined

#### SECTION 10: Stability and reactivity

##### **10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

##### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

##### **10.3. Possibility of hazardous reactions**

The formation of combustible vapours is possible at temperatures above: Flash point

##### **10.4. Conditions to avoid**

Avoid: Thermal decomposition

##### **10.5. Incompatible materials**

Materials to avoid:

- Acids
- Reducing agent
- Oxidising agent

##### **10.6. Hazardous decomposition products**

Hazardous combustion products:

- Carbon monoxide (CO)
- Carbon dioxide (CO<sub>2</sub>)
- Pyrolysis products, toxic

#### SECTION 11: Toxicological information

##### **11.1. Information on hazard classes as defined in GB CLP Regulation**

###### **Acute toxicity**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 11 of 18

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich				
	oral	LD50 >10000 mg/kg	Rat		
	dermal	LD50 > 4000 - < 8000 mg/kg	Rabbit	Study report (1975)	other: US 16 CFR 1500.3 Federal Hazardou
36878-20-3	Blis(nonylphenyl)amine				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1981)	OECD Guideline 401
	Reaction products of amines, dicoco alkyl and glycollic acid				
	oral	LD50 > 2500 mg/kg	Rat	Study report (2006)	OECD Guideline 423
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2006)	OECD Guideline 402
67124-09-8	1-(tert-dodecylthio)propan-2-ol				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	other: Section 1500.3 – Federal Hazardou
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1991)	OECD Guideline 434
	2-tetradecyloxirane, reaction products with boric acid				
	oral	LD50 > 16000 mg/kg	Rat	Study report (1981)	other: Section 772.112-21 CFR 40.
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2012)	OECD Guideline 402
1218787-32-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.				
	oral	LD50 1500 mg/kg	Rat	Study report (1984)	OECD Guideline 425
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol				
	oral	LD50 ca. 1000 mg/kg	Rat	Study report (1989)	OECD Guideline 401

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains Reaction products of amines, dicoco alkyl and glycollic acid, 3-(dicocoalkylamino)-1,2-propanediol, 1-(tert-dodecylthio)propan-2-ol, 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 12 of 18

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **11.2. Information on other hazards**

##### **Endocrine disrupting properties**

See section: 12.6

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 13 of 18

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich					
	Acute fish toxicity	LC50 3,3 mg/l	96 h	Cyprinodon variegatus	REACH Registration Dossier	other: OECD Test Guidelines
	Acute algae toxicity	ErC50 63 mg/l	96 h			
	Acute crustacea toxicity	EC50 4,6 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l) > 10000	3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209
36878-20-3	Bis(nonylphenyl)amine					
	Acute fish toxicity	LC50 mg/l >100	96 h	Danio rerio (zebrafish)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l > 100	72 h	Pseudokirchneriella subcapitata	Study report (2019)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l > 100	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
	Reaction products of amines, dicoco alkyl and glycollic acid					
	Acute fish toxicity	LL50 610 mg/l	96 h	Oncorhynchus mykiss	Study report (2006)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l > 160	72 h	Desmodesmus subspicatus	Study report (2006)	OECD Guideline 201
	Acute crustacea toxicity	EC50 77 mg/l	48 h	Daphnia magna	Study report (2007)	OECD Guideline 202
	Crustacea toxicity	NOEC 56 mg/l	21 d	Daphnia magna	Study report (2006)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l) > 1000	3 h	activated sludge of a predominantly domestic sewage	Study report (2006)	OECD Guideline 209
67124-09-8	1-(tert-dodecylthio)propan-2-ol					
	Acute fish toxicity	LL50 mg/l 0,75	96 h	Oncorhynchus mykiss	Study report (2004)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l > 100	96 h	Desmodesmus subspicatus	Study report (2004)	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l 0,58	48 h	Daphnia magna	Study report (2011)	OECD Guideline 202
	Crustacea toxicity	NOEC mg/l 0,32	21 d	Daphnia magna	Study report (2003)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l) > 10000	3 h	Activated sludge	Study report (1994)	OECD Guideline 209
	2-tetradecyloxirane, reaction products with boric acid					
	Acute fish toxicity	LL50 mg/l > 100	96 h	Oncorhynchus mykiss	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l > 100	72 h	Pseudokirchneriella subcapitata	Study report (2012)	OECD Guideline 201

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 14 of 18

	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	> 100	33 d	Pimephales promelas	REACH Registration Dossier	OECD Guideline 210
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewage	Study report (1994)	OECD Guideline 209
1218787-32-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.						
	Acute fish toxicity	LC50	0,6 mg/l	96 h	Danio rerio	Study report (1990)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,0867	72 h	Raphidocelis subcapitata	Study report (2010)	OECD Guideline 201
	Crustacea toxicity	NOEC mg/l	0,32	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	167	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol						
	Acute algae toxicity	ErC50 mg/l	0,03	72 h	Desmodesmus subspicatus	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,163	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202

#### **12.2. Persistence and degradability**

The product has not been tested.

#### **12.3. Bioaccumulative potential**

The product has not been tested.

#### **Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	4,11
36878-20-3	Bis(nonylphenyl)amine	7,6
	Reaction products of amines, dicoco alkyl and glycollic acid	> 9,4
67124-09-8	1-(tert-dodecylthio)propan-2-ol	> 4,72 - < 6,51
	2-tetradecyloxirane, reaction products with boric acid	>= 6,24 - 9,4
1218787-32-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	3,6
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	7,51

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 15 of 18

#### BCF

CAS No	Chemical name	BCF	Species	Source
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkoxy) derivs., C10-rich	31	Cyprinus carpio	REACH Registration D
36878-20-3	Bis(nonylphenyl)amine	1584,89	Cyprinus carpio	Study report (2000)
	Reaction products of amines, dicoco alkyl and glycollic acid	< 191	Cyprinus carpio	Study report (2007)
67124-09-8	1-(tert-dodecylthio)propan-2-ol	105,5	Fish, not further specified	EPIWIN calculation (
1218787-32-6	Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	20,2		QSAR result (2010)
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	1890	fish	REACH Registration D

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

##### 14.1. UN number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 16 of 18

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 17 of 18

LD50: Lethal dose, 50%  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains Reaction products of amines, dicoco alkyl and glycollic acid, 3 -(dicocoalkylamino)-1,2-propanediol, 1-(tert-dodecylthio)propan-2-ol, 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible

## Safety Data Sheet

### ALPINE ATF 6HP

Revision date: 19.10.2023

Page 18 of 18

for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*