

~~1. extension of type approval~~

~~2. withdrawal of type approval~~

~~3. withdrawal of type approval~~


of a type of a component (towbar) with regard to Directive (94/20/EEC)

Type-approval number: e4*94/20*0432*00

Reason for extension:


SECTION I

- 0.1 Make (trade name of manufacturer) : GDW
- 0.2. Type and general commercial description(s) : N° 485
Toyota Landcruiser
- 0.3. Means of identification of type marked on the component : Approval number
- 0.3.1. Location of the marking : on type plate
- 0.5. Name and address of manufacturer : GDW
Hoogmolenwegel 23
8790 Waregem Belgium
- 0.7. In the case of components and separate technical units, location and method of affixing of the EEC approval mark : on type plate
- 0.8. Name(s) and address(es) of assembly plants : See information document (annex III, item 0.8)



Type-approval number : e4*94/20*0432*00

SECTION II

1. Additional information (where applicable) : see Appendix I
2. Technical service responsible for carrying out the tests : RDW
Testbaan Centrum
Talingweg 76
8218 NX Lelystad
3. Date of testreport : 11-10-1996
4. Number of testreport : TCL-94/20-315/96
5. Remarks (if any) : see Appendix I
6. Place : Zoetermeer
7. Date : 25. APR 1997
8. Signature :  F.E. Plancius
9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request, is attached.

- Application form relating to annex III and annexed drawings
- Drawings and instructions for attachment
- Fitting instructions
- Test report as mentioned in item 4.

651-5531

Appendix I
to EEC type-approval certificate No : e4*94/20*0432*00
concerning the components type-approval of mechanical coupling devices with regard to
Directive 94/20/EEC

1. Additional information
- 1.1. Class of the type of coupling : A50-X
- 1.2. Categories or types of vehicles for which the device is designed or restricted : see fitting instructions
- 1.3. Maximum D-value : 13,55 kN
- 1.4. Maximum vertical load S at the coupling point : 130 kg
- 1.5. Maximum load U at the fifth wheel coupling point : ---- ton
- 1.6. Maximum V-value : ---- kN
- 1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fitting points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles : see fitting instructions
- 1.8. Information on the fitting of special towing brackets or mounting plates : see fitting instructions
5. Remarks : The fitting of the towbar on the vehicle must be checked according to Annex I par.5.10, according the prescriptions mentioned in annex VII

