



THE NETHERLANDS



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval
- extension of type-approval
- refusal of type-approval
- withdrawal of type-approval

of a type of component (towing bracket) with regard to Directive 94/20/EC

Type-approval number: e4*94/20*0567*00

Reason for extension:




SECTION I

- | | | |
|--------|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| 0.1 | Make (trade name of manufacturer) | : GDW |
| 0.2. | Type and general commercial description(s) | : N° 0492 (Mitsubishi Space Gear) |
| 0.3. | Means of identification of type if marked on the component | : Approval number |
| 0.3.1. | Location of the marking | : on type plate |
| 0.5. | Name and address of manufacturer | : GDW
Hoogmolenwegel 23
8790 Waregem Belgium |
| 0.7. | In the case of components and separate technical units, location and method of affixing of the EEC approval mark | : on type plate |
| 0.8. | Name(s) and address(es) of assembly plants | : see information document
(Annex III), item 0.8 |

Type-approval number : e4*94/20*0567*00

SECTION II

1. Additional information (where applicable) : see Appendix I
2. Technical service responsible for carrying out the tests : RDW
Testbaan|Centrum
Talingweg 76
8218 NX Lelystad
3. Date of test report : 14-04-1997
4. Number of test report : TCL-94/20-423/97
5. Remarks (if any) : see Appendix I
6. Place : Zoetermeer
7. Date : 14-04-1997
8. Signature :



The signature block contains a handwritten signature and an official stamp. The stamp is circular and features the coat of arms of the Netherlands, with the text 'RDW' and 'DE NANTIER' visible. The signature is written in black ink and extends across the stamp.

F.E. Plancius

9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request:
 - Application form relating to Annex III and annexed drawings
 - Drawings and instructions for attachment
 - Fitting instructions
 - Testreport, as mentioned in item 4.

Appendix I
to EEC type-approval certificate No : e4*94/20*0567*00
concerning the component type-approval of mechanical coupling devices with regard to
Directive 94/20/EC

- | | | | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Additional information | : | |
| 1.1. | Class of the type of coupling | : | A50-X |
| 1.2. | Categories or types of vehicles for which the device is designed or restricted | : | see fitting instructions |
| 1.3. | Maximum D-value | : | 11,5 kN |
| 1.4. | Maximum vertical load S at the coupling point | : | 75 kg |
| 1.5. | Maximum load U at the fifth wheel coupling point | : | -- ton |
| 1.6. | Maximum V-value | : | -- kN |
| 1.7. | Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles | : | 
see fitting instructions |
| 1.8. | Information on the fitting of special towing brackets or mounting plates | : | see fitting instructions |
| 5. | Remarks | : | The fitting of the towbar on the vehicle must be checked according annex I nr.5.10, according the prescriptions mentionend in annex VII |