



NEDERLAND
(THE NETHERLANDS)



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning:

- ~~type approval~~
- extension of type-approval
- ~~refusal of type approval~~
- ~~withdrawal of type approval~~

of a type of a component (towbar) with regard to Directive (94/20/EEC)

Type-approval number: e4*94/20*0433*01


Reason for extension: Increased the max trailerload from 2200 kg to 2700 kg and S-value from 100 kg to 120 kg.

SECTION I

- | | | | |
|--------|---|---|---|
| 0.1. | Make (trade name of manufacturer) | : | GDW |
| 0.2. | Type and general commercial description(s) | : | N° 572
Mitsubishi L200 4WD |
| 0.3. | Means of identification of type marked on the component | : | Approval number |
| 0.3.1. | Location of that marking | : | On type plate |
| 0.5. | Name and address of manufacturer | : | GDW
Hoogmolenwegel 23
8790 Waregem Belgium |
| 0.7. | In the case of components and separate technical units, location and method of affixing of the EEC type approval mark | : | On type plate |
| 0.8. | Address(es) of assembly plant(s) | : | See information document
(annex III, item 0.8) |

Type-approval number: e4*94/20*0433*01

SECTION II

1. Additional information (where applicable) : See Appendix I
2. Technical service responsible for carrying out the tests : RDW
Testbaan|Centrum
Talingweg 76
8218 NX Lelystad
3. Date of test report : 11-05-2000
4. Number of test report : RDW-94/20-0295
5. Remarks (if any) : See Appendix I
6. Place : Zoetermeer
7. Date : 27 JUNI 2000
8. Signature :  F.E. Plancius
9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request, is attached.
 - Application form relating to annex III and annexed drawings
 - Drawings and instructions for attachment
 - Fitting instructions
 - Test report as mentioned in item 4.

Appendix I
to EEC type-approval certificate No : e4*94/20*0433*01
concerning the components type-approval of mechanical coupling devices with regard to
Directive 94/20/EEC

1. Additional information
- 1.1. Class of the type of coupling : A50-X
- 1.2. Categories or types of vehicles for which the device is designed or restricted : See fitting instructions
- 1.3. Maximum D-value : 13,60 kN
- 1.4. Maximum vertical load S at the coupling point : 120 kg
- 1.5. Maximum load U at the fifth wheel coupling point : ----- ton
- 1.6. Maximum V-value : ----- kN
- 1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fitting points at the vehicle give by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles : See fitting instructions
- 1.8. Information on the fitting of special towing brackets or mounting plates : See fitting instructions
5. Remarks: The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10.

ANNEX III

Information form nr. 0295

Concerning EEG type-approval as a part of mechanical coupling device for motor vehicles and the trailer there from (94/20/EEG)

GENERAL DATA

- 0.1 Make : GDW
- 0.2 Type and trade name : 572
- 0.5 Name and address of manufacturer : GDW
Hoogmolenwegel 23
8790 Waregem Belgium
- 0.7 In case of parts and technical units, place and way of placement of the EEG approval mark : Type shield
- 0.8 Address(s) of the assembly plants :
- GDW
Hoogmolenwegel 23
8790 Waregem Belgium

CONNECTION BETWEEN PULLER AND TRAILER OR SEMI-TRAILER

- 1.1 Execution technical perscription with drawings and material specifications of the type mechanical coupling device : 0572 - 50T
- 1.2 Classe and type of the coupling device(s) : A50-X
- 1.3 Maximum D-value : 13,60kN
- 1.4 Verticale maximum load S on the coupling point : 120 kg
- 1.5 Maximum load U at the trailer coupling : --- ton
- 1.6 Maximum V-value : --- kN
- 1.7 The by the manufacturers given instructions for the fitting of the coupling of the vehicle and the photo's of drawings of the fitting points on the vehicle; replenish data when the type coupling only will be used for special vehicle-types : See fixing points drawing manufacturer
- 1.8 Data about the mounting of special towbars of mounting plates : See fitting instruction

date, 11-05-2000