



**NSAI**  
Certification

**EEC TYPE APPROVAL CERTIFICATE**

**With regard to Coupling Devices for Motor Vehicles**

Concerning the type-approval of a type of a component with regard to Directive 94/20/EC.

EC Type Approval No: **e24\*94/20\*0180\*00**  
Reason for extension: **-N/A**

**SECTION I**

- 0.1 Make (trade name of manufacturer): ***GDW – BOISNIER - DANSK***
- 0.2 Type and general commercial description: ***1865  
Non-standard drawbeam***
- 0.3 Means of identification of type, if marked on the component: ***Make (trade name), Class, Type.***
- 0.3.1 Location of that marking: ***Manufacturer's plate***
- 0.5 Name and address of manufacturer: ***NV GDW  
Hoogmolenwegel 23  
B-8790 Waregem***
- 0.7 In the case of components and separate technical units, location and method of affixing of the EEC approval mark: ***Manufacturer's plate on socket plate. Riveted.***
- 0.8 Name(s) and address(es) of assembly plants: ***NV GDW  
B-8790 Waregem  
  
NV GDW  
B-7700 Moeskroen  
  
Boisnier SA  
F-39240 Thoirette  
  
Dansk Anhaengertraek GDW A/S  
DK- 6000 Kolding***

**SECTION II**

1. Additional information (where applicable): *See Appendix 1.*
2. Technical service responsible for carrying out the tests: ***TÜV SÜD AUTOMOTIVE GmbH,  
Westendstraße 199,  
D-80686 München  
Germany.***
3. Date of test report: ***27.04.2011***
4. Number of test report: ***11-00509-CX-GBM***
5. Remarks (if any): *See Appendix 1.*
6. Place: ***Dublin.***
7. Date: ***6<sup>th</sup> May 2011.***
8. Signature: 
9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request is attached.
10. Documentation: ***38 Pages.***



**Appendix 1**  
**to EC Type Approval Certificate No.: e24\*94/20\*0180\*00**

Concerning the component type approval of mechanical coupling devices with regard to Directive 94/20/EC.

- |      |   |   |
|------|---|---|
| 1.   | Additional information  |   |
| 1.1. | Class of the type of coupling:  | <b><i>F</i></b>                                 |
| 1.2. | Categories or types of vehicles for which the device is designed or restricted:   | <b><i>M, N.</i></b>                             |
| 1.3. | Maximum D-value:  | <b><i>9.9 kN.</i></b>                           |
| 1.4. | Maximum vertical load S at the coupling point:  | <b><i>75 kg.</i></b>                            |
| 1.5. | Maximum load U at the fifth wheel coupling point:   | <b><i>N/A.</i></b>                              |
| 1.6. | Maximum V-value:  | <b><i>N/A.</i></b>                              |
| 1.7. | Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles: | <b><i>See manufacturer's documentation.</i></b> |
| 1.8. | Information on the fitting of special towing brackets or mounting plates:   | <b><i>N/A.</i></b>                              |
| 5.   | Remarks:  | <b><i>N/A.</i></b>                              |