



NSAI
Certification

EEC TYPE APPROVAL CERTIFICATE

With regard to Coupling Devices for Motor Vehicles

Concerning the type-approval of a type of a component with regard to Directive 94/20/EC.

EC Type Approval No: **e24*94/20*0190*00**
Reason for extension: **-N/A**

SECTION I

- 0.1 Make (trade name of manufacturer): ***GDW – BOISNIER - DANSK***
- 0.2 Type and general commercial description: ***1870T30
Non-standard drawbeam***
- 0.3 Means of identification of type, if marked on the component: ***Make (trade name), Class, Type.***
- 0.3.1 Location of that marking: ***Manufacturer's plate***
- 0.5 Name and address of manufacturer: ***NV GDW
Hoogmolenwegel 23
B-8790 Waregem***
- 0.7 In the case of components and separate technical units, location and method of affixing of the EEC approval mark: ***Manufacturer's plate on socket plate. Riveted.***
- 0.8 Name(s) and address(es) of assembly plants: ***NV GDW
B-8790 Waregem***
***NV GDW
B-7700 Moeskroen***
***Boisnier SA
F-39240 Thoirette***
***Dansk Anhaengertraek GDW A/S
DK- 6000 Kolding***

SECTION II

1. Additional information (where applicable): *See Appendix 1.*
2. Technical service responsible for carrying out the tests: ***TÜV SÜD AUTOMOTIVE GmbH,
Westendstraße 199,
D-80686 München,
Germany.***
3. Date of test report: ***30.05.2011.***
4. Number of test report: ***11-00679-CX-GBM.***
5. Remarks (if any): ***See Appendix 1.***
6. Place: ***Dublin.***
7. Date: ***30th May, 2011.***
8. Signature:  
9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request is attached.
10. Documentation: ***32 Pages.***

Appendix 1

to EC Type Approval Certificate No.: e24*94/20*0190*00

Concerning the component type approval of mechanical coupling devices with regard to Directive 94/20/EC.

- | | | |
|------|---|--|
| 1. | Additional information | |
| 1.1. | Class of the type of coupling: | <i>F</i> |
| 1.2. | Categories or types of vehicles for which the device is designed or restricted: | <i>M, N.</i> |
| 1.3. | Maximum D-value: | <i>12.5 kN.</i> |
| 1.4. | Maximum vertical load S at the coupling point: | <i>100 kg.</i> |
| 1.5. | Maximum load U at the fifth wheel coupling point: | <i>N/A.</i> |
| 1.6. | Maximum V-value: | <i>N/A.</i> |
| 1.7. | Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles: | <i>See manufacturer's documentation.</i> |
| 1.8. | Information on the fitting of special towing brackets or mounting plates: | <i>N/A.</i> |
| 5. | Remarks: | <i>N/A.</i> |