

# A COMPLETE WORKPLACE FOR ELECTRIC MOBILITY



117.6155

**3.749,- €\***

with 164 premium tools

**Workshop trolley E10 VDE SPEZIAL**  
with 7 drawers

# The special model for electric and hybrid vehicles



► **Relaxed working with high voltage**

Delivered fully assembled and equipped.

Includes barrier post set, signs and personal protective equipment.

# E10



**DUO Lock** ingenious locking system




**7 drawers** each of which can carry 50 kg



Stable **ball bearing**



**Stainless steel** surface



Lockable **lock**



**Antistatic castors** with brake




Integrated **edge protection**



**Paper roll holder** included



**Can holder** included




1176172

**M** 3/8" + 1/2" insulated socket spanner set with torque wrench in foam insert



568 x 398

| Pos. | Item No. | Description                  | Amount | Pos. | Item No. | Description   | Amount | Pos. | Item No. | Description                                    | Amount |
|------|----------|------------------------------|--------|------|----------|---|--------|------|----------|--|--------|
| 1    | 118.1213 | 1/2" Insulated socket, 13 mm | 1      | 16   | 118.1211 | 1/2" Insulated socket, 11 mm                                    | 1      | 26   | 118.3813 | 3/8" Insulated bit socket for Torx, T25, 60 mm | 1      |
| 2    | 118.1214 | 1/2" Insulated socket, 14 mm | 1      | 17   | 118.1212 | 1/2" Insulated socket, 12 mm                                    | 1      | 27   | 118.3814 | 3/8" Insulated bit socket for Torx, T27, 60 mm | 1      |
| 3    | 118.1215 | 1/2" Insulated socket, 15 mm | 1      | 18   | 118.3864 | 3/8" Insulated bit socket for hexagon socket, 4 mm, 60 mm long  | 1      | 28   | 118.3815 | 3/8" Insulated bit socket for Torx, T30, 60 mm | 1      |
| 4    | 118.1216 | 1/2" Insulated socket, 16 mm | 1      | 19   | 118.3865 | 3/8" Insulated bit socket for hexagon socket, 5 mm, 60 mm long  | 1      | 29   | 118.3816 | 3/8" Insulated bit socket for Torx, T40, 60 mm | 1      |
| 5    | 118.1217 | 1/2" Insulated socket, 17 mm | 1      | 20   | 118.3866 | 3/8" Insulated bit socket for hexagon socket, 6 mm, 60 mm long  | 1      | 30   | 118.3817 | 3/8" Insulated bit socket for Torx, T45, 60 mm | 1      |
| 6    | 118.1218 | 1/2" Insulated socket, 18 mm | 1      | 21   | 118.3868 | 3/8" Insulated bit socket for hexagon socket, 8 mm, 60 mm long  | 1      | 31   | 118.3818 | 3/8" Insulated bit socket for Torx, T50, 60 mm | 1      |
| 7    | 118.1219 | 1/2" Insulated socket, 19 mm | 1      | 22   | 118.3869 | 3/8" Insulated bit socket for hexagon socket, 10 mm, 60 mm long | 1      | 32   | 118.3819 | 3/8" Insulated bit socket for Torx, T55, 60 mm | 1      |
| 8    | 118.1220 | 1/2" Insulated socket, 20 mm | 1      | 23   | 118.3810 | 3/8" Insulated bit socket for Torx, T10, 60 mm                  | 1      | 33   | 118.3847 | 3/8" Insulated socket, 22 mm                   | 1      |
| 9    | 118.1221 | 1/2" Insulated socket, 21 mm | 1      | 24   | 118.3811 | 3/8" Insulated bit socket for Torx, T15, 60 mm                  | 1      | 34   | 118.3845 | 3/8" Insulated socket, 20 mm                   | 1      |
| 10   | 118.1222 | 1/2" Insulated socket, 22 mm | 1      | 25   | 118.3812 | 3/8" Insulated bit socket for Torx, T20, 60 mm                  | 1      | 35   | 118.3844 | 3/8" Insulated socket, 19 mm                   | 1      |
| 11   | 118.1224 | 1/2" Insulated socket, 24 mm | 1      |      |          |   |        | 36   | 118.3843 | 3/8" Insulated socket, 18 mm                   | 1      |
| 12   | 118.1227 | 1/2" Insulated socket, 27 mm | 1      |      |          |   |        | 37   | 118.3842 | 3/8" Insulated socket, 17 mm                   | 1      |
| 13   | 118.1230 | 1/2" Insulated socket, 30 mm | 1      |      |          |   |        | 38   | 118.3841 | 3/8" Insulated socket, 16 mm                   | 1      |
| 14   | 118.1232 | 1/2" Insulated socket, 32 mm | 1      |      |          |   |        | 39   | 118.3839 | 3/8" Insulated socket, 14 mm                   | 1      |
| 15   | 118.1210 | 1/2" Insulated socket, 10 mm | 1      |      |          |   |        | 40   | 118.3838 | 3/8" Insulated socket, 13 mm                   | 1      |





| Pos. | Item No. | Description   | Amount | Pos. | Item No. | Description  | Amount | Pos. | Item No. | Description                                     | Amount |
|------|----------|---|--------|------|----------|--|--------|------|----------|---|--------|
| 41   | 118.3837 | 3/8" Insulated socket, 12 mm                                    | 1      | 52   | 118.3876 | 3/8" Insulated bit socket for hexagon socket, 10 mm, 122 mm long | 1      | 63   | 118.3827 | 3/8" Insulated bit socket for Torx, T45, 122 mm | 1      |
| 42   | 118.3836 | 3/8" Insulated socket, 11 mm                                    | 1      | 53   | 118.3893 | 3/8" Insulated bit socket for spline, M8, insulated              | 1      | 64   | 118.3828 | 3/8" Insulated bit socket for Torx, T50, 122 mm | 1      |
| 43   | 118.3835 | 3/8" Insulated socket, 10 mm                                    | 1      | 54   | 118.3894 | 3/8" Insulated bit socket for spline, M10, insulated             | 1      | 65   | 118.3829 | 3/8" Insulated bit socket for Torx, T55, 122 mm | 1      |
| 44   | 118.3834 | 3/8" Insulated socket, 9 mm                                     | 1      | 55   | 118.3895 | 3/8" Insulated bit socket for spline M12, insulated              | 1      | 66   | 118.1250 | 1/2" Insulated extension, 250 mm                | 1      |
| 45   | 118.3833 | 3/8" Insulated socket, 8 mm                                     | 1      | 56   | 118.3820 | 3/8" Insulated bit socket for Torx, T10, 122 mm                  | 1      | 67   | 118.3852 | 3/8" Insulated extension, 250 mm                | 1      |
| 46   | 118.3832 | 3/8" Insulated socket, 7 mm                                     | 1      | 57   | 118.3821 | 3/8" Insulated bit socket for Torx, T15, 122 mm                  | 1      | 68   | 118.3851 | 3/8" Insulated extension, 150 mm                | 1      |
| 47   | 118.3831 | 3/8" Insulated socket, 6 mm                                     | 1      | 58   | 118.3822 | 3/8" Insulated bit socket for Torx, T20, 122 mm                  | 1      | 69   | 118.3800 | 3/8" Insulated reversible ratchet, 72-teeth     | 1      |
| 48   | 118.3871 | 3/8" Insulated bit socket for hexagon socket, 4 mm, 122 mm long | 1      | 59   | 118.3823 | 3/8" Insulated bit socket for Torx, T25, 122 mm                  | 1      | 70   | 118.1290 | 1/2" Insulated reversible ratchet, 32-teeth     | 1      |
| 49   | 118.3872 | 3/8" Insulated bit socket for hexagon socket, 5 mm, 122 mm long | 1      | 60   | 118.3824 | 3/8" Insulated bit socket for Torx, T27, 122 mm                  | 1      | 71   | 118.1225 | 1/2" Insulated extension, 125 mm                | 1      |
| 50   | 118.3873 | 3/8" Insulated bit socket for hexagon socket, 6 mm, 122 mm long | 1      | 61   | 118.3825 | 3/8" Insulated bit socket for Torx, T30, 122 mm                  | 1      | 72   | 118.3850 | 3/8" Insulated torque wrench, 5 - 50 Nm         | 1      |
| 51   | 118.3874 | 3/8" Insulated bit socket for hexagon socket, 8 mm, 122 mm long | 1      | 62   | 118.3826 | 3/8" Insulated bit socket for Torx, T40, 122 mm                  | 1      |      |          |   |        |

1176133

**M** Insulated spanner set in foam insert in foam insert



568 x 398





| Pos. | Item No. | Description                           | Amount |
|------|----------|---------------------------------------|--------|
| 1    | 118.1511 | Insulated open-ended spanner, 11 mm   | 1      |
| 2    | 118.1512 | Insulated open-ended spanner, 12 mm   | 1      |
| 3    | 118.1513 | Insulated open-ended spanner, 13 mm   | 1      |
| 4    | 118.1514 | Insulated open-ended spanner, 14 mm   | 1      |
| 5    | 118.1515 | Insulated open-ended spanner, 15 mm   | 1      |
| 6    | 118.1516 | Insulated open-ended spanner, 16 mm   | 1      |
| 7    | 118.1517 | Insulated open-ended spanner, 17 mm   | 1      |
| 8    | 118.1518 | Insulated open-ended spanner, 18 mm   | 1      |
| 9    | 118.1519 | Insulated open-ended spanner, 19 mm   | 1      |
| 10   | 118.1520 | Insulated open-ended spanner, 20 mm   | 1      |
| 11   | 118.1521 | Insulated open-ended spanner, 21 mm   | 1      |
| 12   | 118.1522 | Insulated open-ended spanner, 22 mm   | 1      |
| 13   | 118.1523 | Insulated open-ended spanner, 23 mm   | 1      |
| 14   | 118.1524 | Insulated open-ended spanner, 24 mm   | 1      |
| 15   | 118.1309 | Insulated ring spanner, offset, 9 mm  | 1      |
| 16   | 118.1308 | Insulated ring spanner, offset, 8 mm  | 1      |
| 17   | 118.1307 | Insulated ring spanner, offset, 7 mm  | 1      |
| 18   | 118.1510 | Insulated open-ended spanner, 10 mm   | 1      |
| 19   | 118.1509 | Insulated open-ended spanner, 9 mm    | 1      |
| 20   | 118.1508 | Insulated open-ended spanner, 8 mm    | 1      |
| 21   | 118.1507 | Insulated open-ended spanner, 7 mm    | 1      |
| 22   | 118.1310 | Insulated ring spanner, offset, 10 mm | 1      |
| 23   | 118.1311 | Insulated ring spanner, offset, 11 mm | 1      |
| 24   | 118.1312 | Insulated ring spanner, offset, 12 mm | 1      |
| 25   | 118.1313 | Insulated ring spanner, offset, 13 mm | 1      |
| 26   | 118.1314 | Insulated ring spanner, offset, 14 mm | 1      |
| 27   | 118.1315 | Insulated ring spanner, offset, 15 mm | 1      |
| 28   | 118.1316 | Insulated ring spanner, offset, 16 mm | 1      |
| 29   | 118.1317 | Insulated ring spanner, offset, 17 mm | 1      |
| 30   | 118.1318 | Insulated ring spanner, offset, 18 mm | 1      |
| 31   | 118.1319 | Insulated ring spanner, offset, 19 mm | 1      |
| 32   | 118.1322 | Insulated ring spanner, offset, 22 mm | 1      |
| 33   | 118.1324 | Insulated ring spanner, offset, 24 mm | 1      |

1176121

**M** ERGOTORQUE VDE screwdriver set in foam insert



568 x 398




| Pos. | Item No. | Description   | Amount |
|------|----------|---|--------|
| 1    | 117.2237 | Insulated screwdriver for internal Torx screws, T7  | 1      |
| 2    | 117.2238 | Insulated screwdriver for internal Torx screws, T8  | 1      |
| 3    | 117.2239 | Insulated screwdriver for internal Torx screws, T9  | 1      |
| 4    | 117.0551 | Insulated screwdriver for internal Torx screws, T10 | 1      |
| 5    | 117.0552 | Insulated screwdriver for internal Torx screws, T15 | 1      |
| 6    | 117.0553 | Insulated screwdriver for internal Torx screws, T20 | 1      |
| 7    | 117.0554 | Insulated screwdriver for internal Torx screws, T25 | 1      |
| 8    | 117.0555 | Insulated screwdriver for internal Torx screws, T27 | 1      |
| 9    | 117.0556 | Insulated screwdriver for internal Torx screws, T30 | 1      |
| 10   | 117.0557 | Insulated screwdriver for internal Torx screws, T40 | 1      |
| 11   | 117.0558 | Insulated screwdriver for internal Torx screws, T45 | 1      |
| 12   | 117.2235 | Insulated screwdriver for internal Torx screws, T5  | 1      |
| 13   | 117.2236 | Insulated screwdriver for internal Torx screws, T6  | 1      |
| 14   | 117.0506 | ERGOTORQUE VDE Slot screwdriver, 3,5 mm             | 1      |
| 15   | 117.0508 | ERGOTORQUE VDE Slot screwdriver, 4 mm               | 1      |
| 16   | 117.0512 | ERGOTORQUE VDE Slot screwdriver, 5,5 mm             | 1      |
| 17   | 117.0514 | ERGOTORQUE VDE Slot screwdriver, 6,5 mm             | 1      |
| 18   | 117.0524 | ERGOTORQUE VDE PHILLIPS screwdriver, PH1            | 1      |
| 19   | 117.0526 | ERGOTORQUE VDE PHILLIPS screwdriver, PH2            | 1      |
| 20   | 117.0534 | ERGOTORQUE VDE POZIDRIVE screwdriver, PZ1           | 1      |
| 21   | 117.0536 | ERGOTORQUE VDE POZIDRIVE screwdriver, PZ2           | 1      |

1176117

**M** ERGOTORQUE VDE pliers set in foam insert



568 x 398



| Pos. | Item No. | Description  | Amount |
|------|----------|--|--------|
| 1    | 118.4235 | Insulated protective sleeve with clamp cap, 10 mm, L=100 mm        | 1      |
| 2    | 118.4237 | Insulated protective sleeve with clamp cap, 25 mm, L=100 mm        | 1      |
| 3    | 117.1630 | Inspection mirror with protective insulation, 22 mm, 175 mm        | 1      |
| 4    | 117.1123 | ERGOTORQUE VDE cable cutter, 215 mm                                | 1      |
| 5    | 117.1118 | ERGOTORQUE VDE long nose pliers, straight, 215 mm                  | 1      |
| 6    | 117.1119 | ERGOTORQUE VDE diagonal side cutter, 160 mm                        | 1      |
| 7    | 117.1644 | Plastic flat nose pliers with protective insulation, large, 160 mm | 1      |
| 8    | 117.1643 | Plastic flat nose pliers with protective insulation, small, 80 mm  | 1      |
| 9    | 117.2322 | Flexible solenoid lifter with protective insulation, 250 g         | 1      |
| 10   | 117.2000 | ERGOTORQUE VDE water pump pliers, 240 mm                           | 1      |
| 11   | 117.1114 | ERGOTORQUE VDE wire stripper, 160 mm                               | 1      |
| 12   | 117.1111 | ERGOTORQUE VDE combination pliers, 170 mm                          | 1      |
| 13   | 117.1115 | ERGOTORQUE VDE diagonal side cutter, 190 mm                        | 1      |
| 14   | 118.1394 | Insulated cutting knife, 180 mm                                    | 1      |
| 15   | 117.1126 | Soft-head hammer with protective insulation, head Ø 25 mm          | 1      |
| 16   | 117.4267 | Plastic expansion wedge, 160 mm                                    | 1      |
| 17   | 117.1503 | Tension tester with protection insulation two-pole 12-1000 V       | 1      |

117.6104

**M** System insert for personal protective equipment



117.6108

**M** System insert for workplace protection



117.1550

Set of bollards with chain, 13 pcs

- Ideal for cordoning off areas with restricted access
- the base can be filled with sand for safe standing
- Barrier post height approx. 850 mm with 4 eyes for hanging the chain
- Including base, hook and 20 m chain
- Made from plastic

