

DATOS DE LA PIEZA A CERTIFICAR: PART DESCRIPTION	
Denominación: PARAGOLPES TRASERO CON IMPRIMACIÓN Name: Rear bumper with primer	
Adaptable a: PEUGEOT 206 (03) Adaptable to	
Fabricado por: PHIRA Manufactured by	
Ref. fabricante: 206-98300 Manufacturer reference	Ref. Constructor: 7410L5 O.E.M. reference
Nº Certificación: 00 097 0101 Certification number	

Sin reportaje fotográfico
Without photographic report

Valorando lo resultados obtenidos en los ensayos y verificaciones a los que ha sido sometida la pieza de recambio, el dictamen final es: Having analyzed the results of the test to which spare part has been subjected, the final decision is:	
RESULTADO DE LA PIEZA Spare part result	
☒ CERTIFICADA Approved	☐ NO CERTIFICADA Fail

1. CONTROL DE MATERIAL MATERIAL CONTROL		
ENSAYO Test	RESULTADO Result	OBSERVACIONES OBSERVATION
Tipo de material Material	PP+EPDM	Cumple requisitos CZ It is according to requirements of CZ
Espesor de la pieza (mm) Part thickness	Conforme Approved	Cumple requisitos CZ It is according to requirements of CZ
Espesor armazón (mm) Frame thickness	NP	
Espesor cierre (mm) Fastener thickness	NP	
Masa de la pieza (Kg) Weight	2,612	Consultar informe masa00080 See report weight00080
Embutición (mm) Ball punch deformation test	NP	
Prestaciones Mecánicas Impact resistance	Conforme Approved	Consultar informe Impacto00080 See report Impact00080
Envejecimiento Acelerado Colour resistance	Conforme Approved	Consultar informe Color00080 See report Colour00080
Resistencia al calor (%) Heat resistance	-0.3	Consultar informe Calor00080 See report Heat00080
Resistencia combustible (%) Fuel resistance	Gasolina: -17,07 Diesel: -2,68	Consultar informe Combustible00080 See report Fuel00080
CALIFICACIÓN DEL CONTROL DEL MATERIAL Test result		CONFORME APPROVED

2. CONTROL DE LA PIEZA (ADAPTABILIDAD E INSPECCIÓN PREVIA) PART CONTROL (ADAPTABILITY PREVIOUS INSPECTION)		
ENSAYO Test	RESULTADO Result	OBSERVACIONES OBSERVATION
Inspección previa Previous inspection	Conforme Approved	Consultar informe 00080IP01-HR01 See report 00080IP01-HR01
Tiempo de montaje (u.t) Assembly time	4,99	Cumple requisitos CZ It is according to requirements of CZ
Proceso de trabajo Assembly process	Conforme Approved	Cumple requisitos CZ It is according to requirements of CZ
Montaje de accesorios Adaptability of Accessories	Conforme Approved	Cumple requisitos CZ It is according to requirements of CZ
Holguras Gaps	Similar a constructor Similar to O.E.M.	Cumple requisitos CZ It is according to requirements of CZ
Paralelismos Parallelism	Similar a constructor Similar to O.E.M.	Cumple requisitos CZ It is according to requirements of CZ
Alineaciones Alignment	Similar a constructor Similar to O.E.M.	Cumple requisitos CZ It is according to requirements of CZ
Funcionalidad Functional features	Conforme Approved	Cumple requisitos CZ It is according to requirements of CZ
CALIFICACIÓN DEL CONTROL DE LA PIEZA Test result		CONFORME APPROVED

3. CONTROL DE RECUBRIMENTOS COATING CONTROL		
ENSAYO Test	RESULTADO Result	OBSERVACIONES OBSERVATION
Espesor, e_e (μm) Thickness	NP	
Dureza Hardness	64,4	Consultar informe calor00080 See report Heat00080
Embutición (mm) Ball punch deformation test	NP	
Corrosión roja (nº horas) Corrosion resistance	NP	
Adherencia Adhesion	NP	
Resistencia al lavado alta presión High pressure resistance	Conforme Approved	Consultar informe FC-CE-033-01 (206-98300) See report FC-CE-033-01 (206-98300)
Resistencia del recubrimiento a los disolventes Solvent resistance	Conforme Approved	Consultar informe FC-CE-034-01 (206-98300) See report FC-CE-034-01 (206-98300)
CALIFICACIÓN DEL CONTROL DE RECUBRIMENTOS Test result		CONFORME APPROVED



4. CONTROLES ADICIONALES ADDITIONAL CONTROL		
ENSAYO Test	RESULTADO Result	OBSERVACIONES OBSERVATION
Material en sistemas de unión Material in joining parts	NP	
Materiales de subestructuras Reinforcement material	NP	
Cumple funcionalidad Functional features	NP	
Área soldada (mm ²) Welded area	NP	
Distancia (mm) entre puntos soldadura Distance between spots weld	NP	
Puntos soldadura defectuosos Quality of sports weld	NP	
Formas geométricas Geometrical shape	Conforme Approved	Sin partes puntiagudas, ni cortantes, ni susceptibles de enganches Without sharp and pointed parts
Orientación superficies laterales Lateral surface orientation	Conforme Approved	Vuelta al exterior Turn over to external side
CALIFICACIÓN DE LOS CONTROLES ADICIONALES Test result		CONFORME APPROVED



5. COMPORTAMIENTO MECÁNICO MECHANICAL BEHAVIOR		
ENSAYO Test	RESULTADO Result	OBSERVACIONES OBSERVATION
Diferencia de retroceso (cm) Diference in backward movement	NP	
Forma de plegado Folded shape	NP	
Adhesivo y sellante Mastic behavior	NP	
Cierre Fastener behavior	NP	
Crash-Test frontal Frontal crash-test	Similar a constructor Similar to O.E.M.	Cumple requisitos CZ It is according to requirements of CZ
Crash-Test oblicuo Lateral crash-test	Similar a constructor Similar to O.E.M.	Cumple requisitos CZ It is according to requirements of CZ
CALIFICACIÓN DEL COMPORTAMIENTO MECÁNICO Test result		CONFORME APPROVED



ANEXO 1 – REPORTAJE FOTOGRÁFICO DE LA ADAPTABILIDAD

ANNEX 1 – ADAPTABILITY PHOTO DOCUMENTATION

Muestra Constructor

O.E.M. Part

Muestra Fabricante

Spare Part