

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2      Latest revision: 05. 03. 2021      Date of issue: 20. 09. 2017      Page: 1/(13)

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier:

**A.Z. Meisterteile Motorenöl MT-Truck 15W-40 LS Plus-II**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: multigrade heavy duty engine oil

Uses advised against: application other than the above.

### 1.3 Details of the supplier of the safety data sheet:

#### Trader identification:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

#### Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

#### Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: info@unixauto.hu

### 1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): 06 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

## SECTION 2 Hazards identification

### 2.1 Classification of the substance or mixture

Hazard Class and Category:

Eye Irrit. 2

Aquatic Chronic 3

Hazard statement:

H319

H412

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2

Latest revision: 05. 03. 2021

Date of issue: 20. 09. 2017

Page: 2/(13)

## 2.2 Label elements

Product identification: Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Hazardous component(s): -

GHS Pictogram:



Signal word: **Warning**

Hazard statement:

**H319** Causes serious eye irritation.

**H412** Harmful to aquatic life with long lasting effects.

Supplemental hazard information:

**EUH208** Contains Molybdenum alkylthiocarbamide complex. May produce an allergic reaction

Precautionary statements – General:

**P101** If medical advice is needed, have product container or label at hand.

**P102** Keep out of reach of children.

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

**P280** Wear eye/face protection.

Precautionary statements – Response:

**P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P337 + P313** If eye irritation persists: Get medical advice/attention.

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

## 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2      Latest revision: 05. 03. 2021      Date of issue: 20. 09. 2017      Page: 3/(13)

## SECTION 3      Composition/information on ingredients

### 3.2 Mixtures

Chemical description:      Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Distillates (petroleum), hydrotreated heavy paraffinic* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	- (Note L)	-	max. 85
Distillates (petroleum), solvent-dewaxed heavy paraffinic* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	- (Note L)	-	max. 12
Distillates (petroleum), hydrotreated heavy paraffinic* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	Asp. Tox. 4 (L megjegyzés)	H304	max. 5.0
Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate)** REACH Registr. Nr.: 01-2119543726-33	298-577-9	93819-94-4	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.7
Bis(nonylphenyl)amine REACH Registr. Nr.: 01-2119488911-28	253-249-4	36878-20-3	Aquatic Chronic 4	H413	max. 1.7
Dodecylphenol, branched REACH Registr. Nr.: 01-2119513207-49	310-154-3	121158-58-5	Skin Corr. 1C Eye Dam. 1 Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H318 H360F H400 (M=10) H410 (M=10)	< 0.2
Molybdenum alkylthiocarbamide complex REACH Registr. Nr.: 01-0000019337-66	457-320-2	-	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H315 H317 H412	max. 0.2

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2      Latest revision: 05. 03. 2021      Date of issue: 20. 09. 2017      Page: 4/(13)

\*: with exposure limit

\*\*Specific concentration limit: Eye Dam. 1; :  $12.5 \% < C \leq 100 \%$ ; Skin Irrit. 2; :  $6.25 \% \leq C \leq 100 \%$ ; Eye Irrit. 2; :  $10 \% < C \leq 12.5 \%$

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

May produce an allergic reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Not required.

## SECTION 5 Fire-fighting measures

Fire hazards:

Combustible

### 5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2

Latest revision: 05. 03. 2021

Date of issue: 20. 09. 2017

Page: 5/(13)

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxide, zinc-oxide, various hydrocarbons and soot can be formed.

## 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

## SECTION 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

### 6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2      Latest revision: 05. 03. 2021      Date of issue: 20. 09. 2017      Page: 6/(13)

- 7.2 Conditions for safe storage, including any incompatibilities  
Storage facilities must comply with regulations for storing of flammable liquids.  
Store in dry, well ventilated place in original, closed containers.  
Keep away from radiant heat, open flame and strong oxidizing agents.  
Storage temperature: max. 40°C

- 7.3 Specific end use(s)  
Multigrade heavy duty engine oil.

## SECTION 8 Exposure controls / personal protection

### 8.1 Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

**Molybdenum:** 2000/39/EC and mod. -

### 8.2 Exposure controls

Engineering control measures:  
Not required.

Personal protection:

- (a) Eye/face protection      Where splashing is possible, wear safety glasses (EN 166).
- (b) Skin protection
- (i) Hand protection      Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).  
Note: Manufacturer's directions for use and the conditions of application should be observed.
- (ii) Other      Protective clothing (oil resistant).
- (c) Respiratory protection      Under normal conditions it is not necessary. In case of exceeded exposure-limits respiratory protection with suitable-filter is recommended.
- (d) Thermal hazards      No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2      Latest revision: 05. 03. 2021      Date of issue: 20. 09. 2017      Page: 7/(13)

## SECTION 9      Physical and chemical properties

### 9.1      Information on basic physical and chemical properties

- |  |                                   |
|--|-----------------------------------|
| a) Physical state:   | liquid                            |
| b) Colour:   | brown, clear                      |
| c) Odour:  | characteristic                    |
| d) Melting point/freezing point (Pour point) (ISO 3016):                 | typ. -39°C                        |
| e) Boiling point or initial boiling point and boiling range (DIN 51356): | not available                     |
| f) Flammability:   | combustible                       |
| g) Lower and upper explosion limit:                                      | not available                     |
| h) Flash point (COC) (EN ISO 2592):                                      | typ. 232°C                        |
| i) Auto-ignition temperature:  | not available                     |
| j) Decomposition temperature:  | not available                     |
| k) pH:   | not applicable                    |
| l) Kinematic viscosity at (DIN EN ISO 3104):                             |                                   |
| 40°C:  | typ. 119.3 mm <sup>2</sup> /s     |
| 100°C:   | typ. 15.4 mm <sup>2</sup> /s      |
| m) Solubility  |                                   |
| Solubility in water:   | practically insoluble in water    |
| Solubility in other solvents:  | gasoline, kerosene, toluene, etc. |
| n) Partition coefficient n-octanol/water (log value):                    | not available                     |
| o) Vapour pressure at 20°C:  | negligible                        |
| p) Density and/or relative density at 15°C (DIN EN ISO 12185):           | 0.865-0.885 g/cm <sup>3</sup>     |
| q) Relative vapour density:  | not available                     |
| r) Particle characteristics:   | not available                     |

### 9.2      Other information

No data available

## SECTION 10      Stability and reactivity

- |  |   |
|--|---|
| 10.1 Reactivity:                         | Dangerous reactivity not known.   |
| 10.2 Chemical stability:                 | No decomposition if stored and handled properly.  |
| 10.3 Possibility of hazardous reactions: | Not known.  |
| 10.4 Conditions to avoid:                | Direct heat or ignition sources.  |
| 10.5 Incompatible materials:             | Strong oxidizing agents.  |
| 10.6 Hazardous decomposition products:   | No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5. |

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2

Latest revision: 05. 03. 2021

Date of issue: 20. 09. 2017

Page: 8/(13)

## SECTION 11 Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Oral:	LD <sub>50</sub> (rat)	> 2000 mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(based on components)

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

Oral:	LD <sub>50</sub> (rat)	> 2000 mg/kg	OECD 401
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	OECD 402
Inhalation:	LC <sub>50</sub> (rat)	> 5000 mg/m <sup>3</sup>	OECD 403

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg	(literature data)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(literature data)
Inhalation:	LC <sub>50</sub> (rat)	> 5.53 mg/L (4 h)	(literature data)

Bis(nonylphenyl)amine (CAS: 36878-20-3)

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg	OECD 401
Dermal:	LD <sub>50</sub> (rat)	> 2000 mg/kg	OECD 402

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

No data.



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2

Latest revision: 05. 03. 2021

Date of issue: 20. 09. 2017

Page: 9/(13)

## SECTION 12 Ecological information

12.1 Toxicity Harmful to aquatic life with long lasting effects.

### Components:

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

Fishes:	> 1000 mg/L	96 h (OECD 203)
Daphnia:	> 100 mg/L	48 h (OECD 202)
Algae:	> 100 mg/L	72 h (OECD 201)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Fishes:	LC <sub>50</sub>	> 100 mg/L	(literature data)
Daphnia:	EC <sub>50</sub>	> 100 mg/L	(literature data)
Other aquatic organisms:	EC <sub>50</sub>	> 100 mg/L	(literature data)
Algae:	ErC <sub>50</sub>	> 100 mg/L	(literature data)
Other living beings:	TLM	> 1 mg/L	(literature data)

Dodecylphenol, branched (CAS: 121158-58-5)

Fish (Fat-headed carp):	LC <sub>50</sub>	40 mg/L	96 h
Daphnia:	EC <sub>50</sub>	0.037 mg/L	48 h
Shrimp (Mysidopsis Bahia):	EC <sub>50</sub>	> 0.58 mg/L	96 h
Daphnia:	EC <sub>50</sub>	0.0079 mg/L	21 days
Daphnia:	NOEC	0.0037 mg/L	21 days
Algae:	EC <sub>50</sub>	0.36 mg/L	72 h
Microorganisms (activated sludge):	EC <sub>50</sub>	> 1000 mg/L	0.1 day

Bis(nonylphenyl)amine (CAS: 36878-20-3)

Fishes (Danio rerio):	LC <sub>50</sub>	> 100 mg/L	96 h (OECD 203)
Daphnia (Daphnia magna):	EC <sub>50</sub>	> 100 mg/L	48 h (OECD 202)
Algae (Desmodesmus subspicatus):	EC <sub>50</sub>	> 100 mg/L	72 h (OECD 201)

12.2 Persistence and degradability

### Biodegradability:

Dodecylphenol, branched

Hydrocarbons are inherently degradable.

25 % (28 days, OECD TG 301 B)

Bis(nonylphenyl)amine

1.0% (28 days, active sludge, aerob) is not biodegradable.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

Absorbs in soil.

Mobility in water:

Floats on water.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2

Latest revision: 05. 03. 2021

Date of issue: 20. 09. 2017

Page: 10/(13)

12.5	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6	Endocrine disrupting properties	No data.
12.7	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated hydrocarbons:	None.
	Water hazard class (German):	WGK 1 (Classification by AwSV)

## SECTION 13 Disposal considerations

### 13.1 Waste treatment methods

#### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2      Latest revision: 05. 03. 2021      Date of issue: 20. 09. 2017      Page: 11/(13)

## SECTION 14      Transport information

Land transport:

Road/ Railway      ADR/RID:      Not classified.

- |       |                               |                 |
|-------|-------------------------------|-----------------|
| 14.1. | UN number or ID number:       | Not classified. |
| 14.2. | UN proper shipping name:      | Not classified. |
| 14.3. | Transport hazard class(es):   | Not classified. |
| 14.4. | Packing group:                | Not classified. |
| 14.5. | Environmental hazards:        | Not classified. |
| 14.6. | Special precautions for user: | Not classified. |

Waterways:

Inland waterways/ Sea transport      ADN/IMDG:      Not apply to the product.

Air transport:      ICAO / IATA:      Not apply to the product.

## SECTION 15      Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.  
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.  
Seveso category: not classified.
- 15.2 Chemical safety assessment.  
Not available.

## SECTION 16      Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract. The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2      Latest revision: 05. 03. 2021      Date of issue: 20. 09. 2017      Page: 12/(13)

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Eye Irrit. 2	H319	calculated method
Aquatic Chronic 3	H412	calculated method

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Asp. Tox. 1	Aspiration hazard Category 1
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Respiratory/skin sensitization Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Repr. 1B	Reproductive toxicity Category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, Chronic Category 3

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-Truck 15W-40 LS Plus-II**

Version: 2

Latest revision: 05. 03. 2021

Date of issue: 20. 09. 2017

Page: 13/(13)

CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate
Ed <sub>x</sub>	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
1-16	Full revision due to composition change Revision modification according to 2020/878/EU	05. 03. 2021	2